















CURTAIN WALL

รายการ	แม่พิมพ์	หนา	นน. / เส้น	ความยาว	รายการ	แม่พิมพ์	หนา	นน. / เส้น	ความยาว
63.5 x 101.6 mm. 	S 24500	1.50	8.8 - 9.2	6.40 ม.	63.5 x 113.6 mm. 	S 24119	2.50	16.6 - 17.0	6.40 ม.
39.0 x 14.7 mm. 	S 24501	1.20	1.5 - 1.7	6.40 ม.	63.5 x 113.6 mm. 	S 24525	2.50	16.4 - 17.0	6.40 ม.
63.5 x 127 mm. 	S 24502	2.50	18.5 - 19.0	6.40 ม.	50.8 x 114.3 mm. 	S 24526	2.50	14.4 - 15.0	6.40 ม.
63.5 x 75.5 mm. 	S 25403	2.00	8.8 - 8.2	6.40 ม.					
61.3 x 25.4 mm. 	S 24504	3.00	4.0 - 4.3	6.40 ม.					
63.5 x 25.4 mm. 	S 24505	1.80	3.6 - 4.0	6.40 ม.					
50.8 x 86.6 mm. 	S 24506	2.00	10.2 - 10.8	6.40 ม.					
48.6 x 9.442 mm. 	S 24507	2.50	2.8 - 3.2	6.40 ม.					
50.8 x 18.0 mm. 	S 24508	1.20	2.0 - 2.4	6.40 ม.					
58.0 x 96.0 mm. 	S 24509	2.50	15.2 - 15.6	6.40 ม.					



CURTAIN WALL

รายการ	แม่พิมพ์	หนา	นน. / เส้น	ความยาว	รายการ	แม่พิมพ์	หนา	นน. / เส้น	ความยาว
125.0 x 58.80 mm. 	S 24597	2.30	2.36		81.5 x 33.4 mm. 	S 24608	3.00	1.04	
		2.50	2.67						
137.0 x 35.0 mm. 	S 24598	2.30	1.92		45.0 x 30.0 mm. 	S 24609	2.00	0.41	
		2.50	2.20						
125.0 x 34.0 mm. 	S 24600	2.50	1.817		52.5 x 23.0 mm. 	S 24610	1.50	0.34	
153.5 x 69.7 mm. 	S 24601	2.00	1.692		79.9 x 6.8 mm. 	S 24820	1.50	0.35	
125.0 x 102.0 mm. 	S 24604	2.00	2.13						
137.0 x 95.0 mm. 	S 24605	2.00	2.37						
66.0 x 50.0 mm. 	S 24606	2.00	0.88						
66.0 x 50.0 mm. 	S 24607	2.00	1.32						





www.greenaluminium.co.th
T. 02-441-4461-2, F. 02-441-4463



ชุดกล่อง					ชุดท่อกลม				
รายการ	แม่พิมพ์	หนา	หน. / เส้น	ความยาว	รายการ	แม่พิมพ์	หนา	หน. / เส้น	ความยาว
3/4" x 3/4" □			< 0.75	6.00 ม.	3/8 "	S 15135		< 0.20	6.00 ม.
1" x 1" □			< 0.80	6.00 ม.	4/8 "	S 15136		< 0.32	6.00 ม.
1 1/4" x 1 1/4" □			< 1.25	6.00 ม.	5/8 "	S 15137		< 0.40	6.00 ม.
1 1/2" x 1 1/2" □			< 1.50	6.00 ม.	6/8 "	S 15138		< 0.48	6.00 ม.
1 3/4" x 1 3/4" □			< 2.00	6.00 ม.	7/8 "	S 15139		< 0.53	6.00 ม.
			2.6 - 2.8	6.00 ม.	○				
			3.0 - 3.5	6.00 ม.	1 "	S 15140		< 0.65	6.00 ม.
					○				


1/2" x 1" □			< 0.60	6.00 ม.
1" x 1 1/2" □			< 1.25	6.00 ม.
1" x 1 3/4" □			< 1.45	6.00 ม.
1" x 2" □			< 1.55	6.00 ม.
1" x 3" □			< 2.20	6.00 ม.
1 3/4" x 3" □			3.9 - 4.2	6.00 ม.
1 3/4" x 4" □			5.3 - 6.0	6.00 ม.


Equal Angles					
รายการ	แม่พิมพ์	A	B	หนา	กก. / เมตร
จาก ด้านเท่า 	S 05014	30.0	30.0	3.00	0.483
	S 05105	25.0	25.0	2.00	0.260
	S 05106	25.4	25.4	2.50	0.327
	S 05107	50.0	50.0	3.00	0.789
	S 05108	25.4	25.4	3.18	0.423
	S 05110	38.1	38.1	2.50	0.496
	S 05111	35.0	35.0	4.00	0.715
	S 05112	40.0	40.0	3.00	0.626
	S 05239	19.1	19.1	0.40	0.037
	S 05250	50.0	50.0	6.00	1.539
	S 31046	31.8	31.8	4.80	0.755

Unequal Angles					
รายการ	แม่พิมพ์	A	B	หนา	กก. / เมตร
จาก ด้านไม่เท่า 	S 08104	100.00	50.00	5.00	1.963

Unequal Channels					
รายการ	แม่พิมพ์	A	B	หนา	กก. / เมตร
ตัวยู ด้านไม่เท่า 	S 08000	14.50	14.00	0.90	0.098
	S 08002	100.00	50.00	5.00	2.574
	S 08080	76.20	25.40	2.15	0.714
	S 08103	25.40	38.10	2.40	0.628
	S 12011	32.60	22.20	1.90	0.381
	S 12036	30.00	22.00	2.00	0.381
	S 24041	80.00	40.00	4.00	1.646

Round Tubes					
รายการ	แม่พิมพ์	A	B	หนา	กก. / เมตร
ท่อกลม	S 15140	25.40	-	0.50	0.106
					

Square Tubes					
รายการ	แม่พิมพ์	A	B	หนา	กก. / เมตร
กล่องเหลี่ยม ด้านเท่า	S 09015	25.00	25.00	3.0	0.717
	S 09101	25.40	25.40	2.0	0.507
	S 09102	50.80	50.80	3.0	1.553
	S 09104	50.00	50.00	3.0	1.528
	S 09111	100.00	100.00	4.0	4.162
	S 09201	44.45	44.45	1.2	0.562
	S 09203	31.80	31.80	2.3	0.756
	S 09206	19.05	19.05	0.8	0.158
	S 15114	44.45	44.45	0.6	0.295



Rectangular Tubes					
รายการ	แม่พิมพ์	A	B	หนา	กก. / เมตร
กล่อง ด้านไม่เท่า	S 10011	40.00	20.00	3.00	0.879
	S 10012	50.00	20.00	2.00	0.717
	S 10013	50.00	25.00	2.00	0.771
	S 10017	60.00	40.00	3.00	1.530
	S 10018	38.10	25.40	2.00	0.644
	S 10020	127.00	53.00	6.30	5.713
	S 10107	38.10	25.40	0.80	0.268
	S 10111	100.00	50.00	3.00	2.341
	S 10115	100.00	50.00	5.00	3.794
	S 10130	76.20	44.45	1.50	0.956
	S 10131	76.20	44.45	1.00	0.643
	S 10133	101.60	44.45	1.00	0.780
	S 10134	101.80	44.45	1.20	0.934
	S 10135	101.60	44.50	1.50	1.154
	S 10136	101.60	44.45	2.00	1.539

Round Tubes

รายการ	แม่พิมพ์	A	B	หนา	กก. / เมตร
ท่อกลม 	S 11097	12.00	-	1.20	0.110
	S 11101	41.00	-	1.50	0.504
	S 11102	100.00	-	3.00	2.477
	S 11103	12.70	-	2.00	0.182
	S 11104	74.70	-	23.00	9.195
	S 11107	38.10	-	3.00	0.896
	S 11115	46.00	-	8.85	2.798
	S 11124	50.50	-	2.75	1.152
	S 11125	32.90	-	3.30	0.857
	S 11132	56.00	-	8.50	5.437
	S 11136	112.30	-	3.50	3.242
	S 11137	74.50	-	3.00	1.826
	S 11138	65.00	-	16.20	6.744
	S 11139	50.00	-	2.15	0.876
	S 11140	126.70	-	6.35	6.506
	S 11141	76.40	-	5.70	3.431
	S 11142	21.00	-	3.00	0.460
	S 11143	38.10	-	8.14	2.075
	S 11144	47.63	-	9.99	3.200
	S 11146	19.00	-	3.10	0.420
	S 11149	28.00	-	1.40	0.317
	S 11150	64.00	-	22.50	7.950
	S 11151	49.00	-	19.50	4.898
	S 11152	135.00	-	2.00	2.265
	S 11154	50.20	-	2.85	1.149
	S 11163	43.00	-	7.50	2.266
	S 11171	39.50	-	26.00	1.882
	S 12027	94.50	-	3.00	2.337
	S 15135	9.52	-	0.45	0.035
	S 15136	12.70	-	0.47	0.049
S 15137	15.87	-	0.45	0.059	
S 15138	19.05	-	0.45	0.071	
S 15139	22.23	-	0.70	0.087	

Round Tubes

รายการ	แม่พิมพ์	A	B	หนา	กก. / เมตร
ท่อกลม 	S 00585	22.20	-	4.50	0.678
	S 11000	16.30	-	4.45	0.455
	S 11011	31.75	-	3.00	0.734
	S 11012	50.80	-	3.00	1.22
	S 11013	41.00	-	3.00	1.089
	S 11034	46.00	-	8.00	2.588
	S 11038	19.05	-	3.00	0.409
	S 11039	25.40	-	1.20	0.247
	S 11045	49.00	-	15.00	4.342
	S 11046	60.00	-	20.50	6.894
	S 11047	60.30	-	3.20	1.556
	S 11048	141.30	-	6.60	7.569
	S 11049	59.00	-	15.00	5.619
	S 11051	47.63	-	8.74	2.893
	S 11060	18.00	-	1.00	0.145
	S 11061	16.50	-	1.20	0.156
	S 11062-5	19.20	-	1.10	0.17
	S 11063-4	22.00	-	1.10	0.196
	S 11064-1	22.00	-	1.40	0.246
	S 11065	18.50	-	1.40	0.204
	S 11066	19.05	-	2.00	0.29
	S 11067	22.10	-	2.15	0.365
	S 11068	19.00	-	1.20	0.181
	S 11069	19.00	-	1.60	0.237
	S 11070	19.75	-	1.05	0.167
	S 11071	22.80	-	1.60	0.289
S 11075	25.40	-	2.50	0.487	
S 11090	160.00	-	3.00	4.01	
S 11091	21.40	-	2.00	0.38	
S 11092	19.40	-	3.00	0.572	
S 11093	43.10	-	8.30	2.459	
S 11095	28.00	-	2.00	0.443	
S 11096	11.80	-	1.00	0.092	

Round Bars					
รายการ	แม่พิมพ์	A	B	หนา	กก. / เมตร
กลมตัน  A	S 01100	25.40	-	-	1.373
	S 01117	10.00	-	-	0.212
	S 01130	12.30	-	-	0.331
	S 01140	7.90	-	-	0.133
	S 01441	26.80	-	-	1.528
	S 01142	25.00	-	-	1.330
	S 01143	18.00	-	-	0.689
	S 01414	4.70	-	-	0.047
	S 07252	19.05	-	-	0.772
Flat Bars					
รายการ	แม่พิมพ์	A	B	หนา	กก. / เมตร
แผ่นแบน  A	S 04103	19.00	-	2.60	0.113
	S 04105	101.60	-	3.00	0.826
	S 04106	18.00	-	3.00	0.826
	S 04180	38.10	-	9.00	0.955
	S 04300	76.20	-	3.00	0.319
	S04303	35.00	-	6.00	0.548
	S 04304	100.00	-	20.00	5.420
	S 04305	109.00	-	6.00	1.772
	S 04310	25.00	-	0.90	0.061
	S 04311	20.00	-	0.90	0.049
	S 04320	200.00	-	10.00	5.362
	S 04323	131.00	-	10.70	3.798
	S 04327	25.00	-	5.00	0.338
	S 03428	22.00	-	5.50	0.327
	S 04330	129.00	-	7.00	2.447
	S 04331	100.00	-	20.00	5.420
	S 04333	109.00	-	6.00	1.772
	S 04334	25.00	-	0.90	0.061
	S 04335	62.00	-	6.00	1.008
	S 04338	83.90	-	6.00	1.364
S 04339	120.00	-	18.00	5.853	

ชุดอื่น ๆ									
รายการ	แม่พิมพ์	หนา	นน. / เส้น	ความยาว	รายการ	แม่พิมพ์	หนา	นน. / เส้น	ความยาว
เส้นหน้าต่าง มีปีก 	S 15107	บาง	< 0.6	6.10 ม.	ลูกฟูกเรียบชนิด 4" 	S 17104	บาง	1.9 - 2.1	6.00 ม.
		ธรรมดา	0.6 - 0.65				1.00	2.2 - 2.5	
		หนา	0.66 - 0.70						
เส้นหน้าต่าง ไม่มีปีก 	S 15133	บาง	< 0.6	6.10 ม.	ลูกฟูกเรียบชนิด 6" 	S 17105	บาง	2.2 - 2.4	6.00 ม.
		ธรรมดา	0.6 - 0.65				1.00	2.5 - 2.8	
		หนา	0.66 - 0.70						
เส้นประตู มีปีก 	S 15108	บาง	< 0.8	6.10 ม.	ตัวแซด 4" 	S 22206	บาง	1.9 - 2.2	6.00 ม.
		ธรรมดา	0.8 - 0.85				1.10	2.3 - 2.6	
		หนา	0.86 - 0.9				1.20	2.7 - 3.0	
							1.30	3.2 - 3.5	
เส้นประตู ไม่มีปีก 	S 15130	บาง	< 0.8	6.10 ม.	ตัวยู 3/4 " x 4 " 	S 22207	1.20	2.7 - 3.0	6.00 ม.
		ธรรมดา	0.8 - 0.85				2.00	4.6 - 5.0	
		หนา	0.86 - 0.9						
เงาตาย มีปีก 	S 15105	บาง	< 0.65	6.00 ม.	ตัวแซด 1 3/4" 	S 22211	1.20	1.2 - 1.5	6.00 ม.
เงาตาย ไม่มีปีก 	S 15106	บาง	< 0.65	6.00 ม.	ตัวแซด 1 3/4" มีรู 	S 22102	1.20	1.7 - 1.9	6.00 ม.
ซีกันแดด 	S 22213	บาง	บาง	6.00 ม.	ตัวแซด มีรูสกรู 	S 22202	1.40	2.9 - 3.1	6.00 ม.
					ตัวแซด มีรูสกรู 	S 22204	1.50	3.0 - 3.2	6.00 ม.